

BRONZEWORX STUDIO

UNSURPASSED METAL TILE


LOWITZ & COMPANY

TILE ARTISTS · EST. 1990

MADE IN THE UNITED STATES



Quadrille 1×12" border



Tuxedo 1×12" border



Octave 1×12" border



Galileo 1×12" border



Bebop 1×12" border



Dahlia 2.5" diameter inset



Square 1×1" corner/inset

Autograph

Classic patterns with a modern flair. Our newest collection of solid bronze.

True to its name, the Autograph collection lets you personalize your walls and floors, no matter your style - from stately to playful.

Honoring traditional designs, Autograph borders and insets help you forge your own modern signature in metal.

Available in both White and Traditional bronze, Autograph is a welcome compliment to stone, glass, ceramic or porcelain.

Autograph Collection

Size Options

Borders: 1 × 12 × 0.25 inches
 Round Inset: 2.5 diameter × 0.25 inches
 Square Inset: 1 × 1 × 0.25 inches

Material

Traditional Bronze
 White Bronze

Our tiles are cast in solid bronze. They consist entirely of 99% post-consumer recycled material.

Variation

No two tiles are exactly alike. As tiles are cast and finished by hand, variation in the tile's surface naturally occurs.

Initially, some tiles may appear darker than others. Polishing will effectively eliminate any color variation.

Patina

Bronze: Naturally mellows and darkens over time. This process is accelerated in wet locations.

Applying a thin layer of paste wax 1-2 times a year will retard the patina process.

Installation

Cut to length with a hacksaw lubricated with WD-40.

In most cases, tiles can be installed using the same setting compound as the adjacent field material. Except: *Avoid epoxy thinset and epoxy grout. Epoxy cannot be removed without risk of damaging the tile's surface.*

Sealing is not necessary.

Apply painters tape before grouting to keep grout from accumulating in recesses.

For full details, see our Installation guide (available on our website and shipped with every order).

Cleaning

Clean tiles with a soft, damp cloth or paper towel and mild household cleaner. Clean up food splashes promptly to avoid altering the natural patina. Dry tiles thoroughly.

If more vigorous cleaning is required, use a diluted 5:1 water/white vinegar solution.

Original color and brightness can be restored using basic buffing and polishing methods.

Avoid highly acidic cleaners and abrasive cleaning tools.

Usage	Interior wall	Interior floor	Backsplash/ countertop	Shower	Exterior wall	Exterior floor	Pool/Fountain
Traditional Bronze	✓	✓	✓	✓①	✓②	✓②	✓③
White Bronze	✓	✓	✓	✓①	✓②	✓②	✓③

- ① Patina will vary depending on how much moisture is present. For pristine appearance, dry surface with soft cloth after shower.
- ② Patina will vary depending on climate. In most cases, gray-green verdigris patina will develop gradually and darken over time.
- ③ A dark patina will develop over time. Bronze can be laquered to prevent the patina from developing.

BRONZEWORX STUDIO

UNSURPASSED METAL TILE

LOWITZ & COMPANY

TILE ARTISTS · EST. 1990

MADE IN THE UNITED STATES



Bronzework Studio Precision Square Liners, 1/4 inch, Living Brass, Hepburn finish, with white marble (70 inch liners cut on jobsite to fit pattern)

Precision Square Liner

Brass and stainless steel
with our Hepburn finish
or dramatic matte black

Up to 70 inches long


Our signature, hand-rubbed Hepburn finish brings old world elegance to modern form.


Choose warm living brass or cool stainless steel.
Or be bold and minimal with matte black.

Use Precision Square Liners as wall or floor insets, or to trim the edge of stone, glass, or tile.

Precision Square Liner

Size Options

 1/4 inch: 0.25 × 0.25 × 24 inches
0.25 × 0.25 × 70 inches

 3/8 inch: 0.38 × 0.38 × 24 inches
0.38 × 0.38 × 70 inches

Material Options

Living Brass

Stainless Steel

Matte Black Aluminum

Finish

Living Brass and Stainless Steel: Featuring our Hepburn finish - each liner is carefully finished by hand to give it the look and feel of fine silk.

Liners are finished on one side. Available with two adjacent sides finished, by special order.

Since liners are finished by hand, slight variations in luster and minor surface markings are to be expected.

Matte Black: Aluminum finished with flat black powder coat. Finished on four sides.

No significant variations in color or surfaces markings.

Patina

Living Brass: Color naturally becomes richer and darker over time. Applying a thin layer of paste wax 1-2 times a year will retard patina process.

Stainless Steel: Does not patina.

Matte Black: Does not patina.

Installation

Cut to length with a hacksaw lubricated with WD-40.

In most cases, liners can be installed using the same setting compound as the adjacent field material. Except: *Avoid epoxy thinset and epoxy grout. Epoxy cannot be removed without risk of damaging the Liner's surface.*

Use unsanded grout when possible. Keep grout lines as narrow as practical, preferably 0.062-inch.

Sealing is not necessary.

For full details, see our Installation guide (available on our website and shipped with every order).

Cleaning

Clean liners with a soft, damp cloth or paper towel and mild dish soap. Clean up food splashes promptly to avoid altering the natural patina. Dry liners thoroughly.

If more vigorous cleaning is required, use a diluted 5:1 water/white vinegar solution.

Avoid highly acidic cleaners and abrasive cleaning tools.

Usage	Interior wall	Interior floor	Backsplash/ countertop	Shower	Exterior wall	Exterior floor	Pool/Fountain
Living Brass	✓	✓	✓	✓ ^①	✓ ^②	✓ ^②	✓ ^③
Stainless Steel	✓	✓	✓	✓	✓	✓	✓
Matte Black	✓	✓	✓	✓	✓	✓	✗

① Patina will vary depending on how much moisture is present. For pristine appearance, dry surface with soft cloth after shower.

② Patina will vary depending on climate. In most cases, gray-green verdigris patina will develop gradually and darken over time.

③ A dark patina will develop over time. Living Brass can be laquered to prevent the patina from developing.

BRONZEWORX STUDIO

UNSURPASSED METAL TILE

LOWITZ & COMPANY

TILE ARTISTS · EST. 1990

MADE IN THE UNITED STATES



Bronzework Studio Precision Dome Liners in Satin Nickel, with white porcelain

Precision Dome Liner

Clean, sleek, and
up to 70 inches long


If your aesthetic is crisp and clean, consider our Precision Dome Liners: 24 or 70 inches of uninterrupted elegance.

Use Precision Liners to surround a room or as a finishing trim.

In three finishes to compliment your bath and kitchen fittings – Polished Chrome, Polished Nickel and Satin Nickel.

Precision Dome Liner

Size Options

	24 inch:	0.25 × 0.44 × 24 inches
	70 inch:	0.25 × 0.44 × 70 inches

Material

Durable, anodized aluminum.

Finish

Polished Nickel
Satin Nickel
Polished Chrome

All liners have a strong, waterproof finish that will not change over time. Within each finish, there are no significant variations in color or surface quality.

As with any polished surface, occasional minor scratches are considered normal.

Patina

Precision Liners do not patina.

Installation

Cut to length with a hacksaw lubricated with WD-40.

In most cases, liners can be installed using the same setting compound as the adjacent field material. Except: *Avoid epoxy thinset and epoxy grout. Epoxy cannot be removed without risk of damaging the Liner's surface.*

Sealing is not necessary.

For full details, see our Installation guide (available on our website and shipped with every order).

Cleaning

Clean liners with a soft, damp cloth or paper towel and mild household cleaner. Dry Liners thoroughly.

Avoid highly acidic cleaners and abrasive cleaning tools.

Usage	Interior wall	Interior floor	Backsplash/ countertop	Shower	Exterior wall	Exterior floor	Pool/Fountain
Precision Dome	✓	✓ ①	✓	✓	✗	✗	✗

① Liners may be used on light traffic floors, such as residential bathrooms or where shoes are not typically worn.

BRONZEWORX STUDIO

UNSURPASSED METAL TILE

LOWITZ & COMPANY

TILE ARTISTS · EST. 1990

MADE IN THE UNITED STATES



Bronzework Studio Blooming Leaf, 2.5 inch, Traditional Bronze, with beige marble

Classic Bronzework Studio

Carved and cast by hand

As the world rushes by, we strive to design tiles that will be as appealing in a hundred years as they are today.

The Classic collection best represents this vision.

Since we carved and cast our first bronze tile nearly two decades ago, we have believed that the best designs respect the essential nature of their raw materials. Bronze quietly reflects light, mellows and deepens over time, expresses physical and emotional gravity in its weight, and has a profound permanence. We sought to embody each of these attributes in the designs of the Classic collection.

Classic Collection

Size Options

Insets: 2.50 × 2.50 inches
1.25 × 1.25 inches
0.63 × 0.63 inches

Liners: 12 inches long. Varying widths.

Material Options

Traditional Bronze
White Bronze
Zinc

Our tiles are cast in solid bronze or solid zinc. All bronze tiles consist entirely of 99% post-consumer recycled material.

Variation

No two tiles are exactly alike. As tiles are cast and finished by hand, variation in the tile's surface naturally occurs.

Initially, some tiles may appear darker than others. Polishing will effectively eliminate any color variation.

Patina

Bronze: Naturally mellows and darkens over time. This process is accelerated in wet locations.

Zinc: Naturally whitens over time when left untouched or used in wet locations. Darkens when walked on or handled.

Applying a thin layer of paste wax 1-2 times a year will retard the patina process of bronze and zinc.

Usage	Interior wall	Interior floor	Backsplash/ countertop	Shower	Exterior wall	Exterior floor	Pool/Fountain
Traditional Bronze	✓	✓	✓	✓①	✓②	✓②	✓③
White Bronze	✓	✓	✓	✓①	✓②	✓②	✓③
Zinc	✓	✓	✓	✓④	✓④	✓④	✓④

- ① Patina will vary depending on how much moisture is present. For pristine appearance, dry surface with soft cloth after shower.
- ② Patina will vary depending on climate. In most cases, gray-green verdigris patina will develop gradually and darken over time.
- ③ A dark patina will develop over time. Bronze can be laquered to prevent the patina from developing.
- ④ Patina will whiten overtime.

Installation

Cut to length with a hacksaw lubricated with WD-40.

In most cases, tiles can be installed using the same setting compound as the adjacent field material. Except: *Avoid epoxy thinset and epoxy grout. Epoxy cannot be removed without risk of damaging the tile's surface.*

Sealing is not necessary.

For full details, see our Installation guide (available on our website and shipped with every order).

Cleaning

Clean tiles with a soft, damp cloth or paper towel and mild household cleaner. Clean up food splashes promptly to avoid altering the natural patina. Dry tiles thoroughly.

If more vigorous cleaning is required, use a diluted 5:1 water/white vinegar solution.

Original color and brightness can be restored using basic buffing and polishing methods.

Avoid highly acidic cleaners and abrasive cleaning tools.

BRONZEWORX STUDIO

Unsurpassed metal tile

From the artists of
Lowitz & Company



New! Bronzework Studio in Zinc

From the gardens of Victorian England to the bars of Hemingway's Paris, Zinc embodied the spirit of earthy romanticism.

Now, the artists of Lowitz & Company present a fresh take on Zinc that reinterprets this earthy romanticism for our time. Zinc's muted grey sheen is an ideal companion to stainless steel and satin chrome, and provides a strong yet subtle accent to black, white or grey stone.

When your design is firmly rooted in natural materials, but its spirit calls for romantic details, the answer is Zinc.

All Bronzework Studio hand-carved tile patterns are available in Zinc, as well as White Bronze and Traditional Bronze.

Recommended usage: All indoor and outdoor applications, floor or wall, wet or dry.

Made in the United States.

In photo, top to bottom: Flowing Liner (12"), Beach Grass Inset/Corner (0.75"), Water Song Inset/Corner (0.75"), Basic Liner (12") Terrace (2.5"), Petroglyph (2.5"), Mantra (2.5"), Beach Grass Liner (12"), Terrace (1.25"), Water Song Liner (12"). Please inquire about additional sizes and patterns.

BRONZEWORX STUDIO

Unsurpassed metal tile

From the artists of
Lowitz & Company



Beach Grass Liner in Zinc with McQueen stone

All Bronzework Studio hand-carved tile patterns are available in Zinc, as well as White Bronze and Traditional Bronze.

Recommended usage: All indoor and outdoor applications, floor or wall, wet or dry.

Made in the United States.